

TRAIL TRACKER

(\$2,995.00)

The Trail Tracker is the monster truck of electric bikes. It can go places and do things that no other bike can.



FRAME OPTIONS AND COLORS

CLASSIC 26"

- Matte Black
- Matte Black with Blue Rims
- Matte Black with Lime Rims
- Matte Black with Red Rims

STEP THRU 26"

- Matte Black with Lime Rims
- Matte Black

TIRE / WHEEL OPTIONS

- 4" Wide

BATTERY OPTIONS

- 48v 14ah

Notes

When you buy a Pedego, you're investing in:



The peace of mind of an industry leading five year warranty



Smart design and exceptional quality that lasts



Friendly customer care that goes the extra mile

Try one free! Find a dealer at pedego.com



KEY FEATURES



COMFORT & PERFORMANCE

Balanced frame geometry feels just right – relaxed yet responsive. It handles like a dream when you're riding off-road (or no-road), and yet it's still comfortable when you just want to cruise.

UNSTOPPABLE

4" wide tires empower you to effortlessly float over virtually any terrain including sand, mud or even snow. It's an experience like no other!



BREATHTAKING PERFORMANCE

- A whisper quiet, 749 watt motor delivers best in class acceleration and hill climbing. The sensation of power it gives you is exhilarating.
- A state-of-the-art 48 Volt battery uses the same advanced lithium-ion cells as an electric car. It weighs less than a housecat and can take you up to 56 miles on about 10 cents worth of electricity.

Try one free! Find a dealer at pedego.com



SMALL DETAILS MAKE A BIG DIFFERENCE



1. 4" wide tires

Effortlessly float over virtually any terrain including sand, mud, and even snow.



2. Integrated Battery

A removable battery is integrated into the frame for sporty handling.



3. Front Light

Built-in and front light for your safety and convenience.



4. Suspension Seatpost

A suspension seatpost provides extra cushioning where it counts.



5. PedalSense[®]

Twist-and-go throttle, 5 levels of pedal assist, and LCD display with USB charger.



6. Quality Components

Disk brakes, ten gears, sturdy kickstand, heavy-duty spokes, and more.

More Notes...

Try one free! Find a dealer at pedego.com

PEDEGO[®]
ELECTRIC BIKES

TRAIL TRACKER SPECIFICATIONS

Electronics

| | |
|-------------|---|
| MOTOR | BLACK 48V BRUSHLESS GEARED REAR HUB MOTOR; 749 WATT NOMINAL POWER RATING; 60NM TORQUE; QUICK DISCONNECT CABLE WITH WATERPROOF CONNECTION. |
| BATTERY | 48 VOLT 14 AMP HOUR WITH PREMIUM LITHIUM ION 18650 CELLS; SMART BIKE TECHNOLOGY WITH CANBUS COMMUNICATION; AUTO SLEEP FUNCTION. |
| CHARGER | PEDEGO 2 AMP SMART CHARGER WITH A COMPLETELY SEALED CASE AND CHARGE INDICATOR LIGHT. |
| CONTROLLER | 48 VOLT 20 AMP SINE WAVE CONTROLLER WITH CUSTOM PEDALSENSE® SOFTWARE AND WATERPROOF CONNECTIONS. |
| THROTTLE | CUSTOM PEDEGO TWIST AND GO THROTTLE WITH COLOR LED ASSIST INDICATOR FOR MAXIMUM SAFETY; THREADED WATERPROOF CONNECTION. |
| PEDALSENSE® | FREE RIDE MODE (NO POWER), FIVE LEVELS OF PEDAL ASSIST WITH THROTTLE OVERRIDE, AND TORQUE OR CADENCE MODE, THROTTLE ONLY MODE. |
| DISPLAY | 3.5" BACKLIT LCD SCREEN WITH CANBUS COMMUNICATION; 4 BUTTONS TO CONTROL ELECTRONICS, TOGGLE INFO DISPLAYED, AND CUSTOMIZE SETTINGS; USB CHARGING PORT; WATERPROOF THREADED CONNECTION; CUSTOM PEDALSENSE® SOFTWARE. |
| TOP SPEED | CLASS 2: 20 MPH MAX, WITH PEDAL ASSIST AND THROTTLE ASSIST CLASS 3: 28 MPH MAX, WITH PEDAL ASSIST ONLY (SOFTWARE UPGRADE AVAILABLE THROUGH PEDEGO DEALER ONLY) |

Drivetrain

| | |
|----------------|---|
| DERAILLEUR | SRAM GX 10-SPEED REAR DERAILLEUR; EXACT ACTUATION™ FOR PRECISE AND DEPENDABLE 10-SPEED PERFORMANCE; CAGE LENGTH = SHORT. |
| CASSETTE | SRAM PG-1030 10-SPEED CASSETTE, 11-36T; SMOOTH, POWERGLIDE II™ TECHNOLOGY PROVIDES SUPER-SMOOTH SHIFTING BETWEEN GEARS; DURABLE NICKEL CHROME FINISH. |
| SHIFTERS | SRAM GX 10-SPEED TRIGGER SHIFTER; SRAM X-GLIDE™ SHIFTING, EXACT ACTUATION™ FOR PRECISE AND DEPENDABLE 10-SPEED PERFORMANCE. |
| BOTTOM BRACKET | 100MM x 167MM SQUARE TAPER SPINDLE WITH SEALED CARTRIDGE BEARINGS; INTEGRATED TORQUE SENSOR. |
| CHAIN | KMC X10-EPT 10 SPEED; RUSTBUSTER TREATMENT; 132 LINKS. |
| CRANK | BLACK 3 PIECE CRANK WITH 5x130MM 52T CHAINRING; 170MM FORGED ALUMINUM CRANK ARMS; INTEGRATED DOUBLE CHAINRING GUARD. |
| PEDALS | BLACK PEDEGO ALUMINUM PLATFORM PEDAL; 9/16" SPINDLE; POLYMER DU BUSHING; INTEGRATED PEDAL REFLECTORS. |

Try one free! Find a dealer at pedego.com



SPECIFICATIONS

Brakes

| | |
|----------|--|
| CALIPERS | STAR UNION 2 PISTON FORGED ALUMINUM HYDRAULIC DISC BRAKE; MINERAL OIL BRAKE FLUID. |
| LEVERS | STAR UNION 3 FINGER LEVER; CAST ALUMINUM WITH MOTOR CUTOFF SWITCH FOR MAXIMUM SAFETY. |
| PADS | LOW NOISE RESIN BRAKE PADS WITH STEEL BACKING PLATE, OFFER SAFETY TOGETHER WITH EXCELLENT PERFORMANCE IN ALL SITUATIONS. |
| ROTORS | STAINLESS STEEL; 180MM DIAMETER; STIFF, DURABLE DESIGN WITH A STRAIGHT, PREDICTABLE BRAKING SURFACE. |

Components

| | |
|--------------------|---|
| FRAME | 6061-T6 ALUMINUM ALLOY; 1 1/8"-1 1/2" TAPERED HEAD TUBE; INTEGRATED DOWNTUBE BATTERY MOUNT; INTERNAL / EXTERNAL CABLE AND WIRE ROUTING. |
| FORK | 26" FAT TIRE RIGID HIGH TENSILE STEEL; 1 1/8"-1 1/2" TAPERED THREADLESS STEERER TUBE; QUICK RELEASE 15MM x 150MM THRU-AXLE; DISC BRAKE MOUNTS. |
| FORK (AFTERMARKET) | ROCKSHOX BLUTO RL; 80MM TRAVEL, SOLO AIR SPRING, 51MM FORK OFFSET; MOTION CONTROL DAMPER WITH REBOUND AND COMPRESSION/LOCKOUT ADJUSTMENTS |
| HEADSET | BLACK ZERO STACK SEMI-INTEGRATED; 1 1/8" - 1 1/2" THREADLESS TAPERED; ZS44/28.6 ZS56/40. |
| SEATPOST | BLACK 27.2MM x 350MM COIL SPRUNG SUSPENSION SEATPOST WITH 40MM OF TRAVEL AND ADJUSTABLE PRELOAD. |
| SADDLE | MTB STYLE WITH SINGLE DENSITY LIGHTWEIGHT FOAM; CHROMOLY RAILS; CENTER CHANNEL RELIEF; 270MM L x 144MM W. |
| RIMS | 26" x 3" FAT TIRE EXTRA STRENGTH DOUBLE WALL; LIGHTWEIGHT ALUMINUM ALLOY; 12G X 36 HOLE. |
| SPOKES | FRONT: BLACK 13 GAUGE HEAVY DUTY STAINLESS STEEL SPOKES WITH BRASS NIPPLES. REAR: BLACK 12 GAUGE HEAVY DUTY STAINLESS STEEL SPOKES WITH BRASS NIPPLES. |
| GRIPS | PEDEGO RUBBER LOCK ON GRIPS; DIAMOND GRIP PATTERN. |
| HANDLEBAR | BLACK MTB RISER; ALUMINUM ALLOY; 31.8MM STEM CLAMP DIAMETER; 9° BACKSWEEP, 5° UPSWEEP; 20MM RISE; 720MM WIDTH. |
| STEM | BLACK 3D FORGED ALUMINUM ALLOY; 80MM LENGTH; 7° RISE; 31.8MM HANDLEBAR CLAMP DIAMETER; 1 1/8" (28.6MM) THREADLESS STEERER TUBE CLAMP DIAMETER. |
| TIRES | VEE RUBBER MISSION COMMAND 26" x 4.0"; MULTI PURPOSE RUBBER COMPOUND, 58 A DUROMETER; WIRE BEAD; 8-20 PSI; 26 x 4.0" VEE RUBBER INNER TUBE, SCHRADER VALVE. |

Try one free! Find a dealer at pedego.com



SPECIFICATIONS

Extras

LIGHTS

FRONT: LED WITH ADJUSTABLE MOUNT 60 LUX

KICKSTAND

BLACK URSUS KAISER 69; ALUMINUM ALLOY CENTER KICKSTAND; ADJUSTABLE LENGTH COMPOSITE FOOT.

TOOL KIT

CUSTOM PEDEGO TOOL KIT: 6" ADJUSTABLE WRENCH (UP TO 15MM), 12/13G SPOKE WRENCH, T25 TORX WRENCH, 6MM HEX WRENCH, 5MM HEX WRENCH WITH #2 PHILLIPS SCREWDRIVER, 4MM HEX WRENCH.

Weight

BIKE (NO BATTERY)

TRAIL TRACKER CLASSIC 26": 58.8 LB; GORILLA EDITION: 62.2 LB; TT STEP THRU 26": 60 LB.

BATTERY


48V/14Ah: 8.2LB.

**Specifications subject to change. All bicycle weights do not include a battery. Due to manufacturing tolerances of the individual components the overall bike weight may vary +/- 5%.*

DIMENSIONS

Trail Tracker Classic 26"

BIKE DIMENSIONS GUIDE



- 1 REAR HEIGHT
29" (737mm)
- 2 HANDLEBAR WIDTH
28" (711mm)
- 3 SEAT TUBE TO HANDSET
22" (559mm)
- 4 SEAT CLAMP TO CRANK
18" (457mm)
- 5 SEAT CLAMP TO GROUND
30.5" (775mm)
- 6 AXLE TO AXLE
46.5" (1181mm)
- 7 END TO END
76" (1930mm)


Try one free! Find a dealer at pedego.com

PEDEGO[®]
ELECTRIC BIKES

DIMENSIONS

Trail Tracker Step-Thru 26"

BIKE DIMENSIONS GUIDE



- ① REAR HEIGHT
29" (737mm)
- ② HANDLEBAR WIDTH
28" (711mm)
- ③ SEAT TUBE TO HANDSET
22.25" (565mm)
- ④ SEAT CLAMP TO CRANK
16.5" (419mm)
- ⑤ SEAT CLAMP TO GROUND
29" (737mm)
- ⑥ AXLE TO AXLE
45.5" (1156mm)
- ⑦ END TO END
75" (1905mm)

Try one free! Find a dealer at pedego.com

PEDEGO[®]
ELECTRIC BIKES